




BELIEVE FLEET WASH ONE STEP TRAFFIC FILM REMOVER

National Fire Protection Association (NFPA)	Fire Hazard		Hazardous Material Information System (HMIS)	Health	2
	Health			0	Reactivity
Protective Clothing	 	Emergency Overview	Clear Orange. Liquid. See Section 9. CAUTION: May cause eye and skin irritation.		

Section 1. Chemical Product and Company Identification					
Product Name	BELIEVE FLEET WASH ONE STEP TRAFFIC FILM REMOVER			Code	5175
Product Use	Industrial/Institutional: Cleaning product.			PMS#	433069
MSDS#	114467001			Validation Date	4/4/2002
U.S. Headquarters	Johnson Wax Professional 8310 16th Street Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address: www.jwp.com		Canadian Headquarters	Johnson Wax Professional 100 Matheson Blvd. East, Suite 203 Mississauga, Ontario L4Z 2G7 Phone: (905) 755-0913 or (888) 746-5971	
				Print Date	4/4/2002
				Supersedes	No Previous Validation.
				In Case of Emergency	(800) 851-7145

Section 2. Composition and Information on Ingredients				
Ingredients	CAS #	% by Weight	Exposure Limits	LC50/LD50
Sodium Xylene Sulfonate	1300-72-7	1-5	Not available.	Not available.
Alkylphenoxy Polyethoxyethanol	26027-38-3	1-5	Not available.	Not available.
Water	7732-18-5	60-100	Not available.	Not applicable.

Section 3. Hazards Identification	
Routes of Entry	Inhalation. Skin contact. Eye contact.
Potential Acute Health Effects	<p>Eyes May be severely irritating to eyes.</p> <p>Skin May be moderately irritating to skin.</p> <p>Inhalation May be irritating to nose, throat, and respiratory tract. Persons with pre-existing respiratory conditions should be particularly careful about possible respiratory effects.</p> <p>Ingestion May be irritating to mouth, throat and stomach.</p>
Medical Conditions Aggravated by Overexposure:	Persons with pre-existing skin disorders may be more susceptible to irritating effects. Persons with pre-existing respiratory conditions should be particularly careful about possible respiratory effects. Potential Chronic Health Effects: Repeated eye, skin, or inhalation exposure may have cumulative effects.
See Toxicological Information (section 11)	

Section 4. First Aid Measures	
Eye Contact	Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention.
Skin Contact	Flush immediately with plenty of water for at least 15 minutes. If irritation persists, get medical attention.
Inhalation	If breathing is difficult: Remove to fresh air. Get medical attention. Do not use this product if any degree of nose, throat or other respiratory irritation, such as coughing, occurs.
Ingestion	Immediately drink one cupful of water or milk. Get medical attention.

**BELIEVE FLEET WASH ONE STEP TRAFFIC FILM
REMOVER**

Section 5. Fire Fighting Measures

Flammability of the Product	None known.
Flash Points	CLOSED CUP: >93°C (199.4°F).
Products of Combustion	None known.
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedure may be used.
Special Remarks on Fire and Explosion Hazards	None known.

Section 6. Accidental Release Measures

Personal Precautions	Put on appropriate personal protective equipment (see Section 8).
Environmental Precautions and Clean-up Methods	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use a water rinse for final clean-up.

Section 7. Handling and Storage

Handling	Avoid contact with eyes, skin and clothing. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. KEEP OUT OF REACH OF CHILDREN.

Section 8. Exposure Controls/Personal Protection

Engineering Controls	Use only in well ventilated areas. Open windows or doors and use exhaust fan in enclosed areas. Do not use in steam vapor cleaning equipment.
Personal Protection	
<i>Eyes</i>	Safety glasses with side shields.
<i>Hands</i>	Chemical resistant gloves. Includes: Neoprene gloves. Rubber gloves.
<i>Respiratory</i>	No special requirements under normal use conditions.
<i>Feet</i>	No special requirements under normal use conditions.
<i>Body</i>	If major exposure is possible, wear suitable protective clothing.

Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid.
Odor	Odorless.
Color	Clear Orange.
pH	<12 [Basic.]
Specific Gravity	1.017
Solubility in water	Complete.

Section 10. Stability and Reactivity

Stability and Reactivity	The product is stable.
Conditions of Instability	None known.
Incompatibility with Various Substances	Reactive with acids.
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion.
Hazardous Polymerization	Not available.

Section 11. Toxicological Information

Acute toxicity ORAL (LD50) Estimated to be greater than 5000 mg/kg (rat).
 Effects of Chronic Exposure Potential Chronic Health Effects: Repeated eye, skin, or inhalation exposure may have cumulative effects.
 Other Toxic Effects Not available.

Section 12. Ecological Information

Not available.

Section 13. Disposal Considerations

Waste Information No special precautions. Dispose of according to all federal, state and local regulations.

Section 14. Transport Information

DOT Classification

DOT Proper Shipping Name Please refer to the Bill of Lading/receiving documents for up to date shipping information.

TDG Classification

TDG Proper Shipping Name Please refer to the Bill of Lading/receiving documents for up to date shipping information.

Section 15. Regulatory Information

Reporting in this section is based on ingredients disclosed in Section 2

US Regulations

This product is not subject to the reporting requirements under California's Proposition 65.

Registered Product Information Not applicable.

Canadian Regulations

Canadian NPRI Canadian NPRI: Alkylphenoxy Polyethoxyethanol.

WHMIS Classification CLASS D-2B: Material causing other toxic effects (TOXIC).

WHMIS Icon



Registered Product Information Not applicable.

Chemical Inventory Status All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Section 16. Other Information

Other Special Considerations Not available.

Version 1.01

Notice to Reader

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.