



# OSHA-Required Health And Safety Information!

This Material Safety Data Sheet (MSDS) was requested moments ago from Hercules Automated Fax Information System. Please forward it immediately to the person in charge of MSDS's, or retain it at the machine until claimed.

## Section 1

**MATERIAL SAFETY DATA SHEET # 22**  
*Sta Put® PLUMBERS PUTTY*

Date Prepared: 12/17/1986 Last Reviewed: 11/29/2006

Meets OSHA 29 CFR 1910.1200



**MATERIAL SAFETY INFORMATION SERVICE**

Hercules Chemical Company Inc.  
111 South Street  
Passaic NJ 07055  
Phone (800) 221-9330  
Fax (800) 333-3456

## Section 2 - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s), CAS Numbers)	OSHA PEL	ACGIH TLV	Other Limits	Upper Bound Limit if SARA Reportable
This product is not classified as hazardous in accordance with OSHA 1910.1200				

HMIS Hazard Rating: Health: 0 Flammability: 0 Reactivity: 0 Personal Protection: A

## Section 3 - Physical/Chemical Characteristics

Boiling Point (°F):	Specific Gravity (H <sub>2</sub> O = 1):	Vapor Density (Air = 1):	Vapor Pressure (mm Hg):
N/A	1.89	N/A	N/A
Melting Point (° F)	Evaporation Rate: (Butyl Acetate = 1)	Solubility in Water:	
N/A		Insoluble	
Appearance And Color:	Beige color mastic	Odor:	Very mild vegetable oil odor.

## Section 4 - Fire And Explosion Hazard Data

Flash Point:	Flammable Limits:	LEL:	UEL:
N/A	N/A		

Extinguishing Media: Dry chemical or carbon dioxide or water.

Special Firefighting Procedures:  
As appropriate for surrounding fire.

Unusual Fire And Explosion Hazards:  
None

Continued on Next Page

**Section 5 - Reactivity Data**

Stability: Stable      Conditions To Avoid: None

Incompatibility      Strong oxidizers  
(Materials To Avoid):

Hazardous Decomposition: Carbon dioxide and carbon monoxide may be released on burning.

Hazardous Polymerization: Will Not Occur

**Section 6 - Health Hazard Data**

Routes of Entry:    Inhalation    N/A      Skin    YES/Primary      Ingestion    YES/Primary

Health Hazards:

None known

Carcinogenicity:    NTP    NO      IARC    NO      OSHA Regulated    NO

Signs And Symptoms of Exposure:

None

Medical Conditions Generally Aggravated By Exposure:

None known

Emergency And First Aid Procedures:

EYES: As with most foreign materials should eye contact occur, flush eyes with plenty of water and get medical attention. SKIN: Wash with soap and water. INGESTION: Do not induce vomiting. Call a physician if there is any discomfort.

*Continued on Next Page*

**Section 7 - Precautions For Safe Handling And Use:****Steps To Be Taken In Case Material Is Released Or Spilled:**

Sweep up

**Waste Disposal Method:**

Non-hazardous landfill

**Precautions To Be Taken In Handling And Storing:**

None normally required

**Other Precautions:**

None

**Section 8 - Control Measures:****Respiratory Protection:**

None required for putty. If putty dries and dust is created dust-type respirator required.

**Ventilation:** Local Exhaust Adequate  
Mechanical N/A

Special N/A

Other: N/A

**Gloves:** Not normally required.**Eye Protection:** None required**Other Protective Clothing:** None**Work/Hygienic Practices** Wash thoroughly after handling.**Additional Information:****FACTS**  
axed  
AST!

For Hercules Material Safety Data Sheets by fax anytime, day or night, just call 1-800-942-INFO (1-800-942-4636) from any Touch-Tone phone. Have your fax number ready. Checking the product label for the correct MSDS # will save time.