

TAMMS INDUSTRIES CO - DURALBOND, PART B -- 8030-00N048771

===== Product Identification =====

Product ID:DURALBOND, PART B
 MSDS Date:01/01/1990
 FSC:8030
 NIIN:00N048771
 Kit Part:Y
 MSDS Number: BTYWT
 === Responsible Party ===
 Company Name:TAMMS INDUSTRIES CO
 Address:1222 ARDMORE AVE
 City:ITASCA
 State:IL
 ZIP:60143
 Country:US
 Info Phone Num:708-773-2350
 Emergency Phone Num:800-424-9300 (CHEMTREC)
 CAGE:49311

===== Contractor Identification =====

Company Name:TAMMS INDUSTRIES CO
 Address:1222 ARDMORE AVE
 Box:City:ITASCA
 State:IL
 ZIP:60143
 Country:US
 Phone:708-773-2350;FAX:708-773-1870
 CAGE:49311

===== Composition/Information on Ingredients =====

Ingred Name:EPOXY RESIN. LD50:(ORAL,RAT) 5000 MG/KG.
 Fraction by Wt: 60-99%
 OSHA PEL:N/K
 ACGIH TLV:N/K

Ingred Name:PROPANE, 1-BUTOXY-2, 3-EPOXY-; (N-BUTYL GLYCIDYL ETHER
 (BGE))
 CAS:2426-08-6
 RTECS #:TX4200000
 Fraction by Wt: 1-5%
 OSHA PEL:50 PPM
 ACGIH TLV:25 PPM

Ingred Name:POLYAMINE AMIDE; (POLYAMINOAMIDE)
 Fraction by Wt: 15-40%
 OSHA PEL:N/K
 ACGIH TLV:N/K

===== Hazards Identification =====

LD50 LC50 Mixture:SEE INGREDIENT 1.
 Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
 Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
 Health Hazards Acute and Chronic:ACUTE:MAY CAUSE SENSITIZATION.
 INGEST:MAY CAUSE GASTROINTESTINAL IRRITATION OR ULCERATION.
 CORROSIVE TO MUCOUS MEMBRANES. INHAL:BREATHING VAPORS MAY CAUSE
 DIZZINESS, NAUSEA OR HEADACHES. SKIN:CORROSIV E MATERIAL. SHORT

SINGLE CONTACT MAY CAUSE IRRITATION OR BURNS. EYES:MAY CAUSE PAIN.
MAY CAUSE SEVERE (EFTS OF OVEREXP)

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:HLTH HAZ:IRRITATION W/CORNEAL INJURY WHICH MAY
RESULT IN PERMANENT IMPAIRMENT OF VISION. CHRONIC:REPEATED
EXCESSIVE EXPOSURE MAY CAUSE SEVERE DERMATITIS, AS WELL AS LIVER,
KIDNEY & BLADDER DAMAGE.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYE:IMMEDIATE & CONTINUOUS IRRIGATION W/WATER FOR AT LEAST 15
MINUTES. PROMPT MEDICAL CONSULTATION IS ESSENTIAL. SKIN:WASH W/SOAP
& WATER IMMEDIATELY. CALL MD IF IRRITATION PERSISTS. REMOVE & WASH
CON TAMINATED CLOTHING BEFORE REUSE. INGEST:GIVE LARGE QUANTITIES
OF WATER OR MILK. CALL MD. INHAL:REMOVE TO FRESH AIR. GIVE OXYGEN
IF BREATHING IS DIFFICULT. CONSULT MD.

===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:>199F,>93C

Extinguishing Media:FOAM, CO*2, DRY CHEMICAL.

Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE
EQUIPMENT .

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures:SCRAPE UP INTO CONTAINER; SOAK UP W/INERT
ABSORBENT. WEAR ADEQUATE PROTECTIVE CLOTHING & SAFETY EQUIPMENT.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, SPKS & OPEN
FLAME. KEEP CNTNRS CLSD UNTIL READY FOR USE. PROVIDE ADEQ VENT.
AVOID BRTHG FUMES. STOR:50-90F(10-32C).

Other Precautions:STORE IN COOL, DRY, WELL-VENTILATED AREA. PROT FROM
MOISTURE. SHELF LIFE:3 YRS IN PROPER STOR. INDUS USE ONLY. AVOID
SPLASHING INTO EYES & PRLNG CONT W/SKIN. DO NOT RUB EYES. PROT
SHRUBBERY, PLANTS & GRASS DURING APPLICATION. KEEP (SUPDAT)

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE A GOVERNMENT OR A NIOSH/MSHA APPROVED
RESPIRTOR, IF EXCEEDING OCCUPATIONAL EXPOSURE LIMITS. OTHERWISE,
NONE LIKELY NEEDED.

Ventilation:PROPER VENTILATION IS NECESSARY. USE LOCAL & MECHANICAL
EXHAUST SYSTEMS LEADING TO OPEN FRESH AIR.

Protective Gloves:IMPERVIOUS, NEOPRENE GLOVES.

Eye Protection:ANSI APPVD CHEM SFTY GOGG & FULL (SUPDAT

Other Protective Equipment:ANSI APPVD EMERG EYE WSH & DELUGE SHWER .
USE PROT CLTHG IMPERV TO THIS MATL. SELEC OF SPEC ITEMS (SUPDAT)

Work Hygienic Practices:WASH HANDS W/SOAP & WATER IMMEDIATELY AFTER
USE, & BEFORE SMOKING OR EATING.

Supplemental Safety and Health

OTHER PREC:OUT OF REACH OF CHILDREN. CONSULT MSDS FOR COMPLETE PRODUCT
SAFETY INFO. OTHER PROT EQUIP:SUCH AS BOOTS, APRON OR FULL-BODY
SUIT WILL DEPEND ON OPERATION. EYE PROT: LENGTH FACESHIELD .

===== Physical/Chemical Properties =====

HCC:C2

Spec Gravity:1.52

pH:10

Appearance and Odor:OPAQUE PIGMENTED LIQUID W/AMINE ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

ACID, OXIDIZERS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:CO*2, CO, WATER, PHENOLICS & OTHER
UNIDENTIFIED OXIDIZED PRODUCTS UPON COMBUSTION.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF OR INCINERATE I/A/W LOCAL,
PROVINCIAL, STATE & FEDERAL REGULATIONS. DISCARDED PRODUCT IS A
HAZARDOUS WASTE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.