

# MONSANTO COMPANY

## Safety Data Sheet Commercial Product

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product name**

Roundup PROMAX[™] Herbicide

**EPA Reg. No.**

524-579

**Chemical name**

Not applicable.

**Synonyms**

None.

**Company**

MONSANTO COMPANY, 800 N. Lindbergh Blvd., St. Louis, MO, 63167

Telephone: 800-332-3111, Fax: 314-694-5557

E-mail: TS-SAFETYDATASHEET@DOMINO.MONSANTO.COM

**Emergency numbers**

FOR CHEMICAL EMERGENCY, SPILL LEAK, FIRE, EXPOSURE, OR ACCIDENT Call CHEMTREC - Day or Night: 1-800-424-9300 toll free in the continental U.S., Puerto Rico, Canada, or Virgin Islands. For calls originating elsewhere: 703-527-3887 (collect calls accepted).

FOR MEDICAL EMERGENCY - Day or Night: +1 (314) 694-4000 (collect calls accepted).

### 2. HAZARDS IDENTIFICATION

**Emergency overview**

Appearance and odour (colour/form/odour): Amber - Yellow / Liquid / Soapy

CAUTION!

CAUSES MODERATE EYE IRRITATION

**Potential health effects**

**Likely routes of exposure**

Skin contact, eye contact

**Eye contact, short term**

May cause temporary eye irritation.

**Skin contact, short term**

Not expected to produce significant adverse effects when recommended use instructions are followed.

**Inhalation, short term**

Not expected to produce significant adverse effects when recommended use instructions are followed.

Refer to section 11 for toxicological and section 12 for environmental information.

**OSHA Status**

This product is hazardous according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Active ingredient**

Potassium salt of N-(phosphonomethyl)glycine; {Potassium salt of glyphosate}

**Composition**

COMPONENT	CAS No.	% by weight (approximate)
Potassium salt of glyphosate	70901-12-1	48.7
Other ingredients		51.3

The specific chemical identity is being withheld because it is trade secret information of Monsanto Company.

---

#### 4. FIRST AID MEASURES

Use personal protection recommended in section 8.

##### Eye contact

If in eyes, hold eye open and rinse slowly and gently for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

##### Skin contact

Take off contaminated clothing, wristwatch, jewellery.  
Wash affected skin with plenty of water.  
Continue for at least 15 minutes.

##### Inhalation

Remove to fresh air.

##### Ingestion

Immediately offer water to drink.  
Do NOT induce vomiting unless directed by medical personnel.  
If symptoms occur, get medical attention.

##### Advice to doctors

This product is not an inhibitor of cholinesterase.

##### Antidote

Treatment with atropine and oximes is not indicated.

---

#### 5. FIRE-FIGHTING MEASURES

##### Flash point

Does not flash.

##### Extinguishing media

Recommended: Water, foam, dry chemical, carbon dioxide (CO<sub>2</sub>)

##### Unusual fire and explosion hazards

Minimise use of water to prevent environmental contamination.  
Environmental precautions: see section 6.

##### Hazardous products of combustion

Carbon monoxide (CO), phosphorus oxides (P<sub>x</sub>O<sub>y</sub>), nitrogen oxides (NO<sub>x</sub>)

##### Fire fighting equipment

Self-contained breathing apparatus.  
Equipment should be thoroughly decontaminated after use.

---

#### 6. ACCIDENTAL RELEASE MEASURES

##### Personal precautions

Use personal protection recommended in section 8.

**Environmental precautions**

- Minimise spread.
- Contain spillage with sand bags or other means.
- Keep out of drains, sewers, ditches and water ways.

**Methods for cleaning up**

- SMALL QUANTITIES:
  - Flush spill area with water.
- LARGE QUANTITIES:
  - Absorb in earth, sand or absorbent material.
  - Dig up heavily contaminated soil.
  - Collect in containers for disposal.
  - Refer to section 7 for types of containers.
  - Flush residues with small quantities of water.
  - Minimise use of water to prevent environmental contamination.

Refer to section 13 for disposal of spilled material.  
Use handling recommendations in Section 7 and personal protection recommendations in Section 8.

---

**7. HANDLING AND STORAGE**

Good industrial practice in housekeeping and personal hygiene should be followed.

**Handling**

- Avoid contact with eyes, skin and clothing.
- When using do not eat, drink or smoke.
- Wash hands thoroughly after handling or contact.
- Do not contaminate drains, sewers and water ways when disposing of equipment rinse water.
- Thoroughly clean equipment after use.
- Refer to section 13 of the safety data sheet for disposal of rinse water.
- Wash contaminated clothing before re-use.
- Emptied containers retain vapour and product residue.
- FOLLOW LABELLED WARNINGS EVEN AFTER CONTAINER IS EMPTIED.

**Storage**

- Compatible materials for storage: stainless steel, fibreglass, plastic, glass lining
- Incompatible materials for storage: galvanised steel, unlined mild steel, see section 10.
- Keep out of reach of children.
- Keep away from food, drink and animal feed.
- Keep only in the original container.

---

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Airborne exposure limits**

Components	Exposure Guidelines
Potassium salt of glyphosate	No specific occupational exposure limit has been established.
Other ingredients	No specific occupational exposure limit has been established.

**Engineering controls**

- No special requirement when used as recommended.

**Eye protection**

- If there is significant potential for contact:

Wear chemical goggles.

**Skin protection**

Wear chemical resistant gloves.

If there is significant potential for contact:

Wear face shield.

Wear chemical resistant clothing/footwear.

Applicators and other handlers must wear:

Wear long sleeved shirt, long pants and shoes with socks.

Follow manufacturer's instructions for cleaning/maintaining Personal Protective Equipment.

If no such instructions for washables, use detergent and hot water.

**Respiratory protection**

No special requirement when used as recommended.

When recommended, consult manufacturer of personal protective equipment for the appropriate type of equipment for a given application.

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**

These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specifications for the product.

Colour/colour range:	Amber - Yellow
Odour:	Soapy
Form:	Liquid
Physical form changes (melting, boiling, etc.):	
Melting point:	200 °C
Boiling point:	Not available.
Flash point:	Does not flash.
Explosive properties:	No explosive properties
Auto ignition temperature:	No data.
Specific gravity:	1.356
Vapour pressure:	< 0.0000001 mmHg @ 25 °C
Vapour density:	Not applicable.
Evaporation rate:	No data.
Dynamic viscosity:	Not available.
Kinematic viscosity:	Not available.
Density:	Not available.
Solubility:	Water: Completely miscible.
pH:	4.7
Partition coefficient:	log Pow: -3.2 @ 25 °C (glyphosate)

---

**10. STABILITY AND REACTIVITY**

**Stability**

Stable under normal conditions of handling and storage.

**Oxidizing properties**

No data.

**Materials to avoid/Reactivity**

Reacts with galvanised steel or unlined mild steel to produce hydrogen, a highly flammable gas that could explode.

**Hazardous decomposition**

Thermal decomposition: Hazardous products of combustion: see section 5.

**Self-accelerating decomposition temperature (SADT)**

No data.

---

**11. TOXICOLOGICAL INFORMATION**

This section is intended for use by toxicologists and other health professionals.

Data obtained on similar products and on components are summarized below.

Similar formulation

Skin irritation

Rabbit, 3 animals, OECD 404 test:

Days to heal: 7

Primary Irritation Index (PII): 1.9/8.0

Slight irritation.

FIFRA category IV.

Eye irritation

Rabbit, 3 animals, OECD 405 test:

Days to heal: 10

Moderate irritation.

FIFRA category III.

Similar formulation

Acute oral toxicity

Rat, LD50: > 5,000 mg/kg body weight

Practically non-toxic.

FIFRA category IV.

Acute dermal toxicity

Rat, LD50: > 5,000 mg/kg body weight

Practically non-toxic.

FIFRA category IV.

Acute inhalation toxicity

Rat, LC50, 4 hours, aerosol:

Practically non-toxic.

FIFRA category IV.

No 4-hr LC50 at the maximum tested concentration. For purposes of the inhalation test, product was artificially aerosolized. Since this material will not become aerosolized to a hazardous concentration during transport, it is classified as non-hazardous under the transportation regulations in accordance with 2.6.2.2.4.7(b) and (c) of the UN Recommendations on the Transport of Dangerous Goods.

Skin sensitization

Guinea pig, 3-induction Buehler test:

Positive incidence: 0 %

N-(phosphonomethyl)glycine; {glyphosate}

Mutagenicity

In vitro and in vivo mutagenicity test(s):

Not mutagenic.

Repeated dose toxicity

Rabbit, dermal, 21 days:

NOAEL toxicity: > 5,000 mg/kg body weight/day

Target organs/systems: none

Other effects: none

**Rat, oral, 3 months:**

NOAEL toxicity: > 20,000 mg/kg diet

Target organs/systems: none

Other effects: none

**Chronic effects/carcinogenicity**

**Mouse, oral, 24 months:**

NOAEL toxicity: ~ 5,000 mg/kg diet

Target organs/systems: liver

Other effects: decrease of body weight gain, histopathologic effects

NOEL tumour: > 30,000 mg/kg diet

Tumours: none

**Rat, oral, 24 months:**

NOAEL toxicity: ~ 8,000 mg/kg diet

Target organs/systems: eyes

Other effects: decrease of body weight gain, histopathologic effects

NOEL tumour: > 20,000 mg/kg diet

Tumours: none

**Toxicity to reproduction/fertility**

**Rat, oral, 2 generations:**

NOAEL toxicity: 10,000 mg/kg diet

NOAEL reproduction: > 30,000 mg/kg diet

Target organs/systems in parents: none

Other effects in parents: decrease of body weight gain

Target organs/systems in pups: none

Other effects in pups: decrease of body weight gain

Effects on offspring only observed with maternal toxicity.

**Developmental toxicity/teratogenicity**

**Rat, oral, 6 - 19 days of gestation:**

NOAEL toxicity: 1,000 mg/kg body weight

NOAEL development: 1,000 mg/kg body weight

Other effects in mother animal: decrease of body weight gain, decrease of survival

Developmental effects: weight loss, post-implantation loss, delayed ossification

Effects on offspring only observed with maternal toxicity.

**Rabbit, oral, 6 - 27 days of gestation:**

NOAEL toxicity: 175 mg/kg body weight

NOAEL development: 175 mg/kg body weight

Target organs/systems in mother animal: none

Other effects in mother animal: decrease of survival

Developmental effects: none

---

## 12. ECOLOGICAL INFORMATION

This section is intended for use by ecotoxicologists and other environmental specialists.

Data obtained on similar products and on components are summarized below.

**Similar formulation**

**Aquatic toxicity, fish**

**Bluegill sunfish (*Lepomis macrochirus*):**

Acute toxicity, 96 hours, static, LC50: 5.2 mg/L

Moderately toxic.

**Common carp (*Cyprinus carpio*):**

Acute toxicity, 96 hours, static, LC50: 4.0 mg/L

Moderately toxic.

**Aquatic toxicity, invertebrates**

**Water flea (*Daphnia magna*):**

Acute toxicity, 48 hours, static, EC50: 8.0 mg/L

Moderately toxic.

**Similar formulation**

**Aquatic toxicity, algae/aquatic plants**

**Green algae (*Selenastrum capricornutum*):**

Acute toxicity, 72 hours, static, EC50: 0.46 mg/L

Highly toxic.

**Avian toxicity**

**Bobwhite quail (*Colinus virginianus*):**

Acute oral toxicity, single dose, LD50: > 2,250 mg/kg body weight

Practically non-toxic.

**Soil organism toxicity, invertebrates**

**Earthworm (*Eisenia foetida*):**

Acute toxicity, 14 days, LC50: > 10,000 mg/kg dry soil

Practically non-toxic.

**Soil organism toxicity, microorganisms**

**Nitrogen and carbon transformation test:**

29.5 kg/ha, 28 days: Less than 25% effect on nitrogen or carbon transformation processes in soil.

**Similar formulation**

**Arthropod toxicity**

**Honey bee (*Apis mellifera*):**

Oral, 48 hours, LD50: > 242 µg/bee

Practically non-toxic.

**Honey bee (*Apis mellifera*):**

Contact, 48 hours, LD50: > 260 µg/bee

Practically non-toxic.

**N-(phosphonomethyl)glycine; {glyphosate}**

**Avian toxicity**

**Bobwhite quail (*Colinus virginianus*):**

Dietary toxicity, 5 days, LC50: > 4,640 mg/kg diet

No more than slightly toxic.

**Mallard duck (*Anas platyrhynchos*):**

Dietary toxicity, 5 days, LC50: > 4,640 mg/kg diet

No more than slightly toxic.

**Bobwhite quail (*Colinus virginianus*):**

Acute oral toxicity, single dose, LD50: > 3,851 mg/kg body weight

Practically non-toxic.

**Bioaccumulation**

**Bluegill sunfish (*Lepomis macrochirus*):**

Whole fish: BCF: < 1

No significant bioaccumulation is expected.

**Dissipation**

**Soil, field:**

Half life: 2 - 174 days

Koc: 884 - 60,000 L/kg

Adsorbs strongly to soil.

**Water, aerobic:**

Half life: < 7 days

---

### 13. DISPOSAL CONSIDERATIONS

#### Product

- Keep out of drains, sewers, ditches and water ways.
- Recycle if appropriate facilities/equipment available.
- Burn in proper incinerator.
- Follow all local/regional/national/international regulations.

#### Container

- See the individual container label for disposal information.
- Emptied containers retain vapour and product residue.
- Observe all labelled safeguards until container is cleaned, reconditioned or destroyed.
- Empty packaging completely.
- Triple or pressure rinse empty containers.
- Do NOT contaminate water when disposing of rinse waters.
- Ensure packaging cannot be reused.
- Do NOT re-use containers.
- Store for collection by approved waste disposal service.
- Recycle if appropriate facilities/equipment available.
- Follow all local/regional/national/international regulations.

Use handling recommendations in Section 7 and personal protection recommendations in Section 8.

---

### 14. TRANSPORT INFORMATION

The data provided in this section is for information only. Please apply the appropriate regulations to properly classify your shipment for transportation.

This product is not hazardous under the applicable DOT, ICAO/IATA, or IMDG regulations.

---

### 15. REGULATORY INFORMATION

#### TSCA Inventory

Exempt

#### OSHA Hazardous Components

Surfactant(s)

#### SARA Title III Rules

Section 311/312 Hazard Categories

Immediate

Section 302 Extremely Hazardous Substances

Not applicable.

Section 313 Toxic Chemical(s)

Not applicable.

#### CERCLA Reportable quantity

Not applicable.

---

### 16. OTHER INFORMATION

The information given here is not necessarily exhaustive but is representative of relevant, reliable data.

Follow all local/regional/national/international regulations.

Please consult supplier if further information is needed.



In this document the British spelling was applied.  
|| Significant changes versus previous edition.

Full denomination of most frequently used acronyms. BCF (Bioconcentration Factor), BOD (Biochemical Oxygen Demand), COD (Chemical Oxygen Demand), EC50 (50% effect concentration), ED50 (50% effect dose), I.M. (intramuscular), I.P. (intraperitoneal), I.V. (intravenous), Koc (Soil adsorption coefficient), LC50 (50% lethality concentration), LD50 (50% lethality dose), LDLo (Lower limit of lethal dosage), LEL (Lower Explosion Limit), LOAEC (Lowest Observed Adverse Effect Concentration), LOAEL (Lowest Observed Adverse Effect Level), LOEC (Lowest Observed Effect Concentration), LOEL (Lowest Observed Effect Level), MEL (Maximum Exposure limit), MTD (Maximum Tolerated Dose), NOAEC (No Observed Adverse Effect Concentration), NOAEL (No Observed Adverse Effect Level), NOEC (No Observed Effect Concentration), NOEL (No Observed Effect Level), OEL (Occupational Exposure Limit), PEL (Permissible Exposure Limit), PI (Primary Irritation Index), Pow (Partition coefficient n-octanol/water), S.C. (subcutaneous), STEL (Short-Term Exposure Limit), TLV-C (Threshold Limit Value-Ceiling), TLV-TWA (Threshold Limit Value - Time Weighted Average), UEL (Upper Explosion Limit)

This Material Safety Data Sheet (MSDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-APPROVED PRODUCT LABELING (attached to and accompanying the product container). This MSDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course. Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling. It is a violation of federal law to use a pesticide product in any manner not prescribed on the EPA-approved label.

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, MONSANTO Company or any of its subsidiaries makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for the purposes prior to use. In no event will MONSANTO Company or any of its subsidiaries be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR TO THE PRODUCT TO WHICH INFORMATION REFERS.